



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/821,857	04/12/2004	Norihisa Naganuma	1448.1056	1803
21171	7590	05/25/2006	EXAMINER	
STAAS & HALSEY LLP SUITE 700 1201 NEW YORK AVENUE, N.W. WASHINGTON, DC 20005			CHANG, AUDREY Y	
			ART UNIT	PAPER NUMBER
			2872	

DATE MAILED: 05/25/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

E/L

Office Action Summary

Application No.

10/821,857

Applicant(s)

NAGANUMA ET AL.

Examiner

Audrey Y. Chang

Art Unit

2872

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 30 March 2006.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-20 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-20 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____

- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: _____

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on **March 30, 2006** has been entered.
2. This Office Action is also in response to applicant's amendment filed on March 30, 2006, which has been entered into the file.
3. By this amendment, the applicant has amended claims 1, 6, 10, 11-13 and has newly added claims 17-20.
4. Claims 1-20 remain pending in this application.

Response to Amendment

5. The amendment filed **March 31, 2006** is objected to under 35 U.S.C. 132(a) because it introduces new matter into the disclosure. 35 U.S.C. 132(a) states that no amendment shall introduce new matter into the disclosure of the invention. The added material which is not supported by the original disclosure is as follows: **claims 1, and 11-13 have been amended** to include the feature of "wherein the collimated beam is not a spectral beam". The specification simply fails to teach such.

Applicant is required to cancel the new matter in the reply to this Office Action.

Claim Rejections - 35 USC § 112

6. The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

7. **Claims 1-20 rejected under 35 U.S.C. 112, first paragraph**, as failing to comply with the written description requirement. The claim(s) contains subject matter which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor(s), at the time the application was filed, had possession of the claimed invention.

The reasons for rejection based on the newly added matters are set forth in the paragraph above.

Claim Objections

8. **Claims 1-20 are objected to because of the following informalities:**

(1). **Claims 1, and 11-13 have been amended to include** the phrase “the collimated beam is not a spectral beam” that is confusing and indefinite since it is not clear what is considered to be a “spectral beam” here.

(2). **Claim 10 has been amended** to include the phrase “etalon board” that is confusing and indefinite since it is not clear what is considered to an “etalon board” and how does the variable filter operate in cooperation with the etalon board.

Appropriate correction is required.

Claim Rejections - 35 USC § 103

9. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

10. **Claims 1-5, 7-9 and 11-16 and newly added claims 17-20 are rejected under 35 U.S.C. 103(a) as being unpatentable over the patent issued to Fukushima (PN. 5,805,759).**

Fukushima teaches an *optical device* that is comprised of an *optical filter* (6, Figures 4, and 7(C)) that is placed in the beam path of a *collimated light beam* (SP). Fukushima teaches that the optical filter comprises a first and a second portions (6D) that in between the two portions there is a *slit* (42) such that the center wavelength of the collimated light beam that passes through the filter is selected and the transmittance of the collimated light beam verses the wavelength characteristics changes as a function of the wavelength, (please see Figure 7(D)). Fukushima further teaches that the filter may be moved by a *driver* (32) in a direction that is *perpendicular* to the direction of the collimated light beam, (please see Figures 6-7, column 6, lines 54-55) such that different center of wavelength of the pass-band of the collimated light can be selected as the filter is moved in the direction perpendicular to the collimated light beam, (please see column 9, lines 29-44).

This reference has met all the limitations of the claims with the exception that it does not identify explicitly that the slit is a diffraction unit. However it is known in the art that a single slit having slit width that is *much greater* than the wavelength of the incident light beam will form *single slit diffraction unit* and a maximum diffraction peak or transmittance peak for the selected and diffracted light having the selected wavelength will be formed by this single slit diffraction. Since the Fukushima reference teaches that the wavelength interest is in the range of 1.5 microns, and the slits are of the macroscopic size this means it is implicitly true that the slit (42) does form a single slit diffraction unit and the transmittance of the light beam as shown in Figure 7(D) is a maximum diffraction peak. It is also obvious to one skilled in the art, if the slit is not of the size, to make the slit to have the size capable of making single slit diffraction unit for the benefit of making the transmittance filter via the slit of **Fukushima** utilizing diffraction theory to maximize the transmittance peak for the pass-band of the collimated light beam.

Claims 1, and 11-3 have been amended to include the phrase "the collimated light is not a spectral beam". However the specification fails to teach such and fails to define what does it mean by a spectral beam. This feature therefore really cannot be examined.

With regard to claim 2, Fukushima teaches that the first and second filter portions are formed by plates (6D), although this reference does not teach explicitly that the portions are made by film, however since the same function, namely making these portions filter portions, is the same to make them by film or plates would have been obvious variations to one skilled in the art for the benefit of making the filter fits the specific design requirement.

With regard to claims 3-5 and 15-16, Fukushima teaches that a plurality of the optical filters (6, Figure 9) may be used wherein each of the optical filters is individually driven by the driver to move in the direction perpendicular to the direction of the collimated light beam. Fukushima teaches that each of the plurality of optical attenuation filters has specific slit patterns (please see Figures 5-7) and they are driven to provide specific transmittance characteristics, (please see Figures 10). The slits for different filters are implicitly arranged at certain angle with respect to each other since even if they are parallel to each other they are at angle zero with respect to each other.

With regard to claim 7, this reference does not teach explicitly that the driver is the types of driver claimed however these claimed drivers are all well known standard drivers in the art to use one of them would have been obvious modification to one skilled in the art for the benefit of effectively moving the optical filter as desired.

With regard to claim 8, it is implicitly true the different arrangements of the edges and slits for the attenuation optical filters result different wavelength characteristics.

With regard to claim 9, Fukushima teaches that the filter portion essentially has zero transmittance but it does not teach explicitly if they are reflection or not. However such modification does not change the function of the slit, which essentially provides transmitted diffraction beam. Furthermore, it is implicitly true that zero transmission can include non-zero reflection of the incident light and the reflection of the collimated light will be in the direction parallel to the collimation direction, by the principle of reflection.

With regard to claim 14, Fukushima teaches that the light attenuation filter region lines (ETL) with certain pitch as relative to the beam spot size (SP) is set to be less than one quarter of the beam spot size, (please see Figures 5-6). It would then have been obvious to make the grating structure of the attenuation optical filter with edges to have the pitch to be less than a quarter of the beam size for the benefit of enabling the attenuation filter to provide desired wavelength transmittance pattern.

With regard to newly added claims 17-20, Fukushima et al in different embodiment teaches that the first and second filter portion can have equal non-zero transmission with the diffraction portion defined by the edges of the first and second filter portions, (please see Figures 7(A) and 7(B)).

11. Claims 1-5, 6, 10, 11-14 are rejected under 35 U.S.C. 103(a) as being unpatentable over the US patent application publication by Luo et al (US 2004/0005115 A1).

Luo et al teaches a add/drop multiplexer having an etalon filter structure that is comprises a filter having a first filter portion and a second filter portions (380, and 390, Figure 3) with a slit serves as the diffraction unit that is defined by the edges of the first and second filter portions and a third and fourth filter portions (340 and 350) with a slit serves as the second diffraction unit formed by the edges of the third and fourth filter portions. The filter provided a transmittance verses wavelength that is changed with respect to the wavelength since the filter portions are designed to transmit and reflect light of different wavelength.

This reference does not teach explicitly that the filter is arranged in the optical path of a collimated light but this is really is intended use that does not affect the structure of the filter. Furthermore, Luo et al discloses the Fabry-Perot filter is utilized in an add/drop multiplexer device, wherein collimated light is most often used to allow the best quality of the multiplexer device.

This reference has met all the limitations of the claims with the exception that it does not teach explicitly that it include a moving unit for moving the diffraction unit to change the transmittance verses

Art Unit: 2872

wavelength characteristics. This reference does not teach such explicitly however it is implicitly true that certain moving unit is there to align the filters with the incident light to allow the best operation of the add/drop multiplexer also by moving the filter therefore the diffraction unit, different portions of the filter portions will be intercepted by the incident light which therefore changes the transmittance characteristics. It would therefore have been obvious to one skilled in the art to modify the filter of Luo et al to add moving unit to properly align the incident light beam with the filter portions.

With regard to claims 3-4, Luo et al teaches there are a plurality of filter portions, (please see Figure 3) and the slits of the adjoining filter make a predetermined angle.

Response to Arguments

12. Applicant's arguments filed on March 30, 2006 have been fully considered but they are not persuasive.

13. Applicant's arguments concerning "spectral beam" has been addressed in the paragraphs above. The specification fails to disclose whether the collimated is a spectral beam or not and fails to disclose what is considered to be a spectral beam. Furthermore, the collimated light is not part of the filter device it is just a matters of intended use.


Any inquiry concerning this communication or earlier communications from the examiner should be directed to Audrey Y. Chang whose telephone number is 571-272-2309. The examiner can normally be reached on Monday-Friday (8:00-4:30), alternative Mondays off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Drew Dunn can be reached on 571-272-2312. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2872

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Audrey Y. Chang, Ph.D.
Primary Examiner
Art Unit 2872



A. Chang, Ph.D.